




Titanium


Our top-of-the-line stainless steel plates with wide selection of finishes and perimeter accent frame for the distinguished home or commercial space




1.2mm super slim profile with screwless face plate, compact and sleek



Luxurious looking stainless steel plates with wide selection of finishes



New interlocking wall boxes available for multi-gang installations compatible our versatile Icon modules



Square switch plate profile ensures no-gap multi-gang installation for easy cleaning and ensures proper horizontal alignment when installing




GC202-2-BPB
10A 2 Gang 2 Way Toggle Switch



GC204-2-FMR
10A 4 Gang 2 Way Toggle Switch




GC801PC-4TU-BBZ
1 Gang RJ45 Cat.5e Data Socket
+ RJ11 Telephone Socket (4 Pin)



GC811USBA-WSS
1 Gang 2A USB Power Charger



Polished Chrome
GC251A-WPC




Black Nickel
GC801-SB-BBN




Coffee Gold
GC251A-BCGO



Polished Brass
GC2C-DMB-BPB




Polished Brass
GC2510-BPB



Polished Chrome
GC8513S-WPC



GC251A-BBN
10A 1 Gang 1 Way Large
Rocker Switch



GC8513S-BPB
13A 1 Gang Switched Socket



GC827-BPN
16A 1 Gang 2 Pin + Earth
German Socket



GC1231+W2221

Shutter Control Switch

Never before was the operation of roller shutters so simple and so convenient.
Please ask your T&J salesman about other options.



GC8623SDUSB-DP

13A 2 Gang DP Switched Socket with 2A USB charger (= 4A total)

fresh ideas for residential or commercial spaces



Trailing Edge Dimmer

Versatile new dimmer capable of controlling dimmable LED and CFL lamps / downlights
Make your home or workplace more comfortable and energy efficient today!

360° Motion Detector

Control lighting automatically and reduce energy usage by activating power supply only as needed to light entry ways, corridors, stairways, rooms or closets.
The conveniently located timer setting can be set from 30 seconds to 10 minutes.



USB Power Charger












Convenient USB connection with the strength to charge iPads (or other tablet devices) + the larger smart phones now on the market.
This USB module will be the new standard for energy efficiency.












LED Night Light

Make you home or workplace safer and more energy efficient!
Night lights can light a path down a hallway or to an exit, they are perfect for stair step locators and accent lighting in any application.



the new modular product options introduced above will fit in the T&J Electric switch plate designs Deco, Ultimate, Classy, Titanium, Versatil and Radiance

Switches			
Product	Model No.	Description	Remarks
	GC251 GC251-2 GC2515 GC220 GC232	10A 1 Gang 1 Way Switch 10A 1 Gang 2 Way Switch 10A 1 Gang Intermediate Switch 20A 1 Gang DP Switch 32A 1 Gang DP Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC220L GC232L	20A 1 Gang DP Switch with neon 32A 1 Gang DP Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC220FO GC232FO	20A 1 Gang DP Switch with flex outlet 32A 1 Gang DP Switch with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC221 GC222	6A 1 Gang 2 Way Shutter Switch 16A 1 Gang 2 Way Shutter Switch (Titanium is made in multi-gang variations with any mechanism specified.)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC220LFO GC232LFO	20A 1 Gang DP Switch with flex outlet + neon 32A 1 Gang DP Switch with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC245	45A 1 Gang DP Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC245L	45A 1 Gang DP Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC245D	45A 1 Gang DP Switch (146 type)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC245DL	45A 1 Gang DP Switch with neon (146 type)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC252 GC252-2	10A 2 Gang 1 Way Switch 10A 2 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC253 GC253-2 GC2203 GC2203-2	10A 3 Gang 1 Way Switch 10A 3 Gang 2 Way Switch 20A 3 Gang 1 Way Switch 20A 3 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Switches			
Product	Model No.	Description	Remarks
	GC254 GC254-2	10A 4 Gang 1 Way Switch 10A 4 Gang 2 Way Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC256 GC256-2	10A 6 Gang 1 Way Switch 10A 6 Gang 2 Way Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC201 GC201-2 GC2130A GC2061 GC2061-2	10A 1 Gang 1 Way Toggle Switch 10A 1 Gang 2 Way Toggle Switch 10A 1 Gang Intermediate Toggle Switch 10A 1 Gang 1 Way Retractive Toggle Switch 10A 1 Gang 2 Way Retractive Toggle Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC202 GC202-2 GC2062 GC2062-2	10A 2 Gang 1 Way Toggle Switch 10A 2 Gang 2 Way Toggle Switch 10A 2 Gang 1 Way Retractive Toggle Switch 10A 2 Gang 2 Way Retractive Toggle Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC203 GC203-2 GC2063 GC2063-2	10A 3 Gang 1 Way Toggle Switch 10A 3 Gang 2 Way Toggle Switch 10A 3 Gang 1 Way Retractive Toggle Switch 10A 3 Gang 2 Way Retractive Toggle Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC204 GC204-2	10A 4 Gang 1 Way Toggle Switch 10A 4 Gang 2 Way Toggle Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC251A GC251A-2	10A 1 Gang 1 Way Large Rocker Switch 10A 1 Gang 2 Way Large Rocker Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC252A GC252A-2	10A 2 Gang 1 Way Large Rocker Switch 10A 2 Gang 2 Way Large Rocker Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2548	45A Cooker Control Unit + 13A Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC2548L	45A Cooker Control Unit + 13A Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC2517	10A 1 Gang Fan Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1


Retractive Switches			
Product	Model No.	Description	Remarks
	GC2510	10A 1 Gang Bell Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2561 GC2561-2	10A 1 Gang 1 Way Retractive Switch 10A 1 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2562 GC2562-2	10A 2 Gang 1 Way Retractive Switch 10A 2 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2563 GC2563-2	10A 3 Gang 1 Way Retractive Switch 10A 3 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2564 GC2564-2	10A 4 Gang 1 Way Retractive Switch 10A 4 Gang 2 Way Retractive Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2566 GC2566-2	10A 6 Gang 1 Way Retractive Switch 10A 6 Gang 2 Way Retractive Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2561A GC2561A-2	10A 1 Gang 1 Way Retractive Switch with LED indicator 10A 1 Gang 2 Way Retractive Switch with LED indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	GC2562A GC2562A-2	10A 2 Gang 1 Way Retractive Switch with LED indicator 10A 2 Gang 2 Way Retractive Switch with LED indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps

Dimmers			
Product	Model No.	Description	Remarks
	GC2621 GC2621-2 GC2641 GC2641-2	250W 230V 1 Gang Dimmer (rotate on / off) 250W 230V 1 Gang 2 Way Dimmer (push on / off) 400W 230V 1 Gang Dimmer (rotate on / off) 400W 230V 1 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps



Dimmers			
Product	Model No.	Description	Remarks
	GC2622 GC2622-2 GC2642 GC2642-2	250W 230V 2 Gang Dimmer (rotate on / off) 250W 230V 2 Gang 2 Way Dimmer (push on / off) 400W 230V 2 Gang Dimmer (rotate on / off) 400W 230V 2 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	GC2623 GC2623-2 GC2643 GC2643-2	250W 230V 3 Gang Dimmer (rotate on / off) 250W 230V 3 Gang 2 Way Dimmer (push on / off) 400W 230V 3 Gang Dimmer (rotate on / off) 400W 230V 3 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	GC2624 GC2624-2 GC2644 GC2644-2	250W 230V 4 Gang Dimmer (rotate on / off) 250W 230V 4 Gang 2 Way Dimmer (push on / off) 400W 230V 4 Gang Dimmer (rotate on / off) 400W 230V 4 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	GC211-M2 GC211-1KM2	630W 230V 1 Gang Dimmer (rotate on / off) 1000W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps

Fan Controls			
Product	Model No.	Description	Remarks
	GC211-M3	400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	GC2721 GC2741	250VA 230V 1 Gang Fan Control (rotate on / off) 400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	GC2722 GC2742	250VA 230V 2 Gang Fan Control (rotate on / off) 400VA 230V 2 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	GC2723 GC2743	250VA 230V 3 Gang Fan Control (rotate on / off) 400VA 230V 3 Gang Fan Control (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	GC2724 GC2744	250VA 230V 4 Gang Fan Control (rotate on / off) 400VA 230V 4 Gang Fan Control (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans






Fan Controls

Product	Model No.	Description	Remarks
	GC2-M4	2A 230V 1 Gang Electronic Fan Control with speed indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 For fan speed control of central A/C

BS Sockets

Product	Model No.	Description	Remarks
	GC8502	2A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8505	5A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513	13A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513S GC8513S-DP	13A 1 Gang Switched Socket 13A 1 Gang DP Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513SL GC8513SL-DP	13A 1 Gang Switched Socket with neon 13A 1 Gang DP Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513D	13A 2 Gang Unswitched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513SD GC8513SD-DP	13A 2 Gang Switched Socket 13A 2 Gang DP Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8528SD	13A 2 Gang 2 Pin + Earth Switched Universal Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1


BS Sockets

Product	Model No.	Description	Remarks
	GC8513SDL GC8513SDL-DP	13A 2 Gang Switched Socket with neon 13A 2 Gang DP Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513SUSB2	13A 1 Gang Switched Socket with 2 Gang USB Power(2.1A)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8623SDUSB -DP	13A 2 Gang DP Switched Socket with 2A USB charger (= 4A total)	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8515S	15A 1 Gang Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8515SL	15A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1


Schuko Sockets

Product	Model No.	Description	Remarks
	GC827	16A 1 Gang 2 Pin + Earth German Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	GC8116V	16A 1 Gang 2 Pin + Earth French Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

American Sockets

Product	Model No.	Description	Remarks
	GC8415V	15A 127V 1 Gang 2 Pin + Earth American Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1

Swiss Sockets

Product	Model No.	Description	Remarks
	GC8110CH	10A 1 Gang Swiss Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Audio and Video Products

Product	Model No.	Description	Remarks
	GC801-SB	1 Gang Speaker Socket (banana jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802-SB	2 Gang Speaker Socket (banana jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2-V	1 Gang Volume Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Universal Sockets

Product	Model No.	Description	Remarks
	GC818S	13A 1 Gang 2 Pin + Earth Switched Universal Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC818	13A 1 Gang 2 Pin + Earth Universal Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC810U2	10A 2 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC810U2A	10A 2 Gang 2 Pin Socket with independent wiring terminals	
	GC810USA	16A 1 Gang 2 Pin Switched Socket with independent wiring terminal	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC810U	10A 1 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8318USB2	13A 1 Gang 3 Pole Universal Socket with 2 Gang USB Power(2.1A)	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1

Universal Sockets

Product	Model No.	Description	Remarks
	GC8318SUSB2	13A 1 Gang 2 Pin + Earth Universal Socket with Switch with 2 Gang USB Power(2.1A)	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1
	GC8618SDUSB	13A 2 Gang 3 Pin Switched Universal Socket with 2A USB Charger	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Television Sockets

Product	Model No.	Description	Remarks
	GC8512	2 Gang TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC8511	1 Gang TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8509	1 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC801-TV	1 Gang TV Socket with surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC801TVO	1 Gang TV Socket with 1 branch output + surge protection	
	GC801ETV	1 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802TV	2 Gang TV Socket with surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802TV-FM	1 Gang TV with surge protection + FM Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Television Sockets			
Product	Model No.	Description	Remarks
	GC8514	1 Gang Sat. TV + TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8542	1 Gang TV + FM Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802ETV	2 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8543	1 Gang Triplex Socket (Sat+TV+FM)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC898	Audio RCA Socket + Earphone Socket (3.5mm jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 16 / 1

Telecommunication Products			
Product	Model No.	Description	Remarks
	GC801-4TU GC801-6TU	1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC801-PC GC811-PC	1 Gang RJ45 Cat.5e Data Socket 1 Gang RJ45 Cat.6 Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC801-TM GC801-TS	1 Gang BT Master Telephone Socket 1 Gang BT Secondary Telephone Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802-4TU GC802-6TU	2 Gang RJ11 Telephone Socket (4 Pin, 2 input 2 output) 2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802-PC GC812-PC	2 Gang RJ45 Cat.5e Data Socket 2 Gang RJ45 Cat.6 Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Telecommunication Products			
Product	Model No.	Description	Remarks
	GC804-PC	2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC801PC-4TU GC811PC-4TU	1 Gang RJ45 Cat.5e Data Socket + RJ11 Telephone Socket (4 Pin) 1 Gang RJ45 Cat.6 Data Socket + RJ11 Telephone Socket (4 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Multimedia Products			
Product	Model No.	Description	Remarks
	GC811USBA	1 Gang 2A USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC811LUSB	1 Gang 2A USB Power Charger with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC812USBA	2 Gang 2A USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC812LUSB	2 Gang 2A USB Power Charger with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8211USB	USB Data Port	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Hotel Products			
Product	Model No.	Description	Remarks
	GC2-AL	3A Alarm	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2600	1W 220V Floor Lamp (flush matte)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Hotel Products			
Product	Model No.	Description	Remarks
	GC2C-DMB	4A Bell Switch with "Do Not Disturb" + "Make Up Room" indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC2C-DM	"Do Not Disturb" + "Make Up Room" Indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC6-2KT GC8-KT9 GC9-2KT GC9-KT9	20A 100-240V Keycard switch with time delay 10A 9-24V Low frequency RFID Keycard switch with time delay, Low voltage, Dry-contact output 20A 100-240V High frequency RFID Keycard switch with time delay 10A 9-24V High frequency RFID Keycard switch with time delay, Low voltage, Dry-contact output	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC828	115/230V Shaver Socket with overcurrent protection (max 20VA)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 20 / 1 / 1

Electronic Switches			
Product	Model No.	Description	Remarks
	GC2744LIR	1000W 230V Motion Detector with fire control outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC2-SC* GC2-LSC* GC2-SCA	100W 230V Voice Activated Switch with time delay 500W 230V Voice Activated Switch with time delay + fire control outlet 100W 230V Voice Activated Switch with time delay (compatible with CFL)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps


Accessories			
Product	Model No.	Description	Remarks
	GC101	1 Gang Blank Plate	Nominal plate size: 86×86 mm Pack (carton / box): 50 / 1
	GC101D	2 Gang Blank Plate	Nominal plate size: 146×86 mm Pack (carton / box): 50 / 1

Accessories			
Product	Model No.	Description	Remarks
	GC5850	50A Connection Unit	Nominal plate size: 86×86 mm Pack (carton / box): 50 / 1
	GC1501	1 Gang PICO Switch Plate	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20
	GC1502	2 Gang PICO Switch Plate	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20
	GC1503	3 Gang PICO Switch Plate	Nominal plate size: 86×86 mm Pack (carton / box): 400 / 20
	GC1504	4 Gang PICO Switch Plate	Nominal plate size: 146×86 mm Pack (carton / box): 400 / 20
	GC6813F	13A Fused Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC6813FL	13A Fused Connection Unit with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC6813FS	13A Switched Fused Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC6813FSL	13A Switched Fused Connection Unit with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC6813FFO	13A Fused Connection Unit with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Accessories


Product	Model No.	Description	Remarks
	GC6813FLFO	13A Fused Connection Unit with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC6813FSLFO	13A Switched Fused Connection Unit with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC1221	2 Gang Frame with mounting bracket	Nominal plate size: 86×86 mm Pack (carton / box): 50 / 1
	GC1231	1 Gang Frame with mounting bracket	Nominal plate size: 86×86 mm Pack (carton / box): 50 / 1
	GC1221D	4 Gang Frame with mounting bracket	Nominal plate size: 146×86 mm Pack (carton / box): 50 / 1
	DL-GC2-TC9	9-12V DC LCD Thermostat	Nominal plate size: 86x86mm Minimum wall box depth: 35mm Pack(carton/box):50/1
	DL-GC2-TC	100-250V LCD Thermostat	Nominal plate size: 86x86mm Minimum wall box depth: 35mm Pack(carton/box):50/1

Dimensions



Scale = mm

Product Code Rules



Available Options

	1	2	3	4	5	6
SS	Stainless Steel	B	2	3	20/23	GE B
PB	Polished Brass	Black Interior	2 Way	3 Gang	Toggle Switch	Colossal Alpine/Exclusif
PC	Polished Chrome	W	Blank	1	262/27/21	G R
BN	Black Nickel	White Interior	1 Way	1 Gang	Dimmer Switch	Ultimate Classy
BZ	Bronze			2	25	GC M
FMR	Matt Brass			2 Gang	Normal Switch	Titanium Metalclad
PN	Pearl Nickel			4	256	K E
AZ	Antique Brass			4 Gang	Retractive Switch	Radiance IP66 Armor

¹Notes:

Standard colours: PB, PC, SS, MBR, BN, PN
Non-standard colours: PG, AZ, BZ
For standard colours, lead time is up to 45 days.

Notes:

- *All illustrations and descriptions are only for guidance.
- *The colours and product photos you see in this brochure may vary from the actual products.
- *All T&J products/colours can be customised to satisfy the unique demand of the widest possible range of end-users.
- *T&J Electric reserves the right to change specifications and designs without notice.
- *Use dry soft cloth to clean the surface of the products, cleaning agents may damage the finish.